

Listed in Category Order. Click on an Asset Name for more details.

Asset Catalog for New Equipment (23 Items)

Asset	Description	Condition
		Location
Boiler		1 Items
Feedwater Pump Asset ID: 8818 Sulzer	Feedwater Pump 400 GPM Sulzer Boiler Feedwater Pump, Model MSD 3x6x9E, 5-Stages. Flow Characteristics: 400 GPM at 1800 Ft. Hd. (780 PSI), RPM: 3560. Like New Condition. Storeroom Spare Rebuilt 07/2021. Steam capacity of boiler rated between 150,000 - 200,000 Lbs. / Hr. IEN # 126835 New or Rebuilt 2021.	Like New
		Virginia

Boiler/HRSG & Gasifiers		1 Items
Gas Fired Steam Generator (HRSG) Asset ID: 7644 Rentech	Rentech Duct Fired HRSG System (Heat Recovery Steam Generator) Price Just Reduced This is a brand new HRSG - never used. Model Waterfall Type "O"	
	<ul style="list-style-type: none"> • Rated at 200,000 pph at 400 psig saturated steam with economizer (can also run at 200 psig) • Designed for feedwater flow 400 gpm at 439 psig and 228F • INCLUDES (also see pdf list in link) • Natural gas duct burner system and fuel skid with gas train and flame supervision, rated at 136 MMBTU/h • Steam Generator System (HRSG) Evaporator. "O" type tube arrangement with steam drum and mud drum, 2" tubes • Bypass stack 50 ft x 76" diameter • Exhaust stack 50 ft x 76" diameter • Economizer - finned tube single pass • Boiler Control System: BMS - plc controlled burner management system, CCS - combustion control system, HMI touch screen, Allen Bradley plc and HMI • Interconnecting duct work • Ladders & Gratings Rentech had pre-fit all structural steel in the shop. Once they were assembled, photos were taken, and pieces were disassembled for shipment. Rentech can provide 3-D modeling of the complete boiler system including auxiliaries to assist in the system layout and to avoid costly interference and fit-up issues in the field. (ay be extra cost)	NEW
	System has been completed (never has been used) We have complete shipping documents for number of pieces and sizes.	Iowa

Centrifuge and Decanter/Centrifuge	1 Items
---	----------------

Listed in Category Order. Click on an Asset Name for more details.

<p>Centrifuge VO 10 ss Asset ID: 1931 Alfa Laval</p>	<p>New Alfa Laval VO10 centrifuge</p> <p>NEW centrifuge still in original crate. Built in 2021 and never used. This Alfa Laval VO-10 disk centrifuge is aimed for gentle and cost-efficient refining of vegetable oils.</p> <ul style="list-style-type: none"> • Rated at hydraulic capacity 44 gpm for a nominal capacity of 100 MTPD (19 gpm). • Direct drive 18.5 KW (25 HP) motor with VFD. 480v 3/60 • All wetted parts in contact with product are stainless steel 304 • Controls included • Tools included • Still in original crates • We have the complete specifications in our Virtual Data Room - by invitation • Available for immediate shipment 	<p>NEW</p> <p>Colorado</p>
--	---	----------------------------

Centrifuge and Decanter/Decanter		1 Items
<p>Decanter / Centrifuge Asset ID: 7885 Andritz</p>	<p>NEW Decanter</p> <p>Andritz A10-4 decanter centrifuge with oil lubrication. New-unit is still on skid and in boxes. Was never installed. G force 2,700. Diameter 1000mm</p>	<p>NEW</p> <p>California</p>

Dryer/Flash Dryer		1 Items
<p>Vacuum Dehydration Unit Asset ID: 2087 IFS</p>	<p>Vacuum Dehydration Unit</p> <p>Compact vacuum dehydration unit to remove free water, emulsified water, and minor impurities from oil. Designed for most lubricating, EHC and hydraulic fluids down to 150 ppm. Possible to use for dewatering used cooking oil (UCO) upon proper testing and approval. Standard features: 300 gph process flow rate, 5kW heater with programmable temperature controller, dry seal vacuum pump,, adjustable flow controls, skid mounted with casters, controls. 440v 3/60. These units are built to order - allow 10-12 weeks ARO. Photo is a catalog photo.</p>	<p>NEW</p> <p>Michigan</p>

Electrical/Transformer		2 Items
<p>Transformer (25kva) Asset ID: 7882 Hitachi Energy</p>	<p>Transformer</p> <p>Liquid-Filled MTR Mini-Pak Padmounted Transformer- 25 KVA 2400VGY – 240/120V radial feed, one phase, 60Hz. Serial # 1LUJ250178772388. Includes bushings: loadbreak inserts, bushing wells and secondary studs. Fuses: partial range cl fuse in series with bayonet. Pressure relief valve. Manufactured by Hitachi Energy. Two available. Priced separately.</p>	<p>NEW</p> <p>Missouri</p>

Listed in Category Order. Click on an Asset Name for more details.

Transformer (50kva) Asset ID: 7883 Hitachi Energy	Transformer Liquid-Filled MTR Mini-Pak Padmounted Transformer- 50 KVA 2400VGY – 240/120V radial feed, one phase, 60Hz. Serial # 1LUJ250178772392. Includes bushings: loadbreak inserts, bushing wells and secondary studs. Fuses: partial range cl fuse in series with bayonet. Pressure relief valve. Manufactured by Hitachi Energy. Two available. Priced separately.	NEW
		Missouri

Filters/Bag Filter 1 Items

Bag Filters 4" ss Asset ID: 8817 PRM Filtration	Bag Filter NEW 4-Bag with 4" Connections NEW Bag Filter 4" inlet / outlet. Manufactured by PRM Filtration. Model BFHBFM4SSXV2. Rated 150 psig / 525 gpm. Uses (4) #2 size filter bags (7-1/16" dia x 32" L). Easy open top with toggle bolts and handwheel. Qty (4) available (priced separately). In stock - ships immediately. Price includes shipping	NEW
		North Carolina

Filters/Pressure Leaf 1 Items

Filtration Skid - Pilot Size NEW Asset ID: 7467 Leem	New Filtration Skid - Pilot Size Stainless Steel Skid mounted self contained filter skid. All wetted parts stainless steel 304 Leem Model 24-MVS-40 Vertical Tank, Vertical Leaf, Pressure Leaf Filter Skidded Unit. MAWP ASME and stamped - rated for 90 psig at 300F & Full Vacuum. <ul style="list-style-type: none"> • Filter vessel is 24" outside diameter with (6) 5-Ply Riveted filter leaves with PZ-80 outer filter cloth constructed of type 316ss on 3" spacing affixed to a common 304ss manifold pipe for 40 square feet (3.716 m2) of filter area. Constructed of type 304 stainless with top & bottom swing bolt closures, top to have a davit and hydraulic jack cover lift for ready access to the filter leaves and hinged bottom cover with a counterweight to facilitate filter cake removal. • Includes all necessary ball valves, gaskets, and piping • Slurry tank - 160 gallon pre-coat tank, motor & pump unit: 1x2-8 pump, 3500 RPM, 5 HP; Agitator: Neptune model NO. JG-4.0, gear drive mixer • Control panel mounted to skid. • Entire assembly mounted to 304 SS support skid. Depending on the product being filtered, the amount of solids, and temperature of the product, the flow rate can vary through the filter. With a typical veg oil product with little solids (maybe 1-2%) the flow rate can be as high as 3,000 to 4,000 PPH. If used for tallow or other fats and oils that may have larger amounts of solids, the flow rate can drop to 2,000 PPH through the filter. Please allow 14-16 weeks for delivery ARO. Note: We can offer this unit as a Rental on a per month basis, first come, first served.	NEW
		New Jersey

Instrument/Flow Flume 1 Items

Listed in Category Order. Click on an Asset Name for more details.

Parshall Flume Asset ID: 1668	Parshall Flume NEW 3 inch Parshall Flume flow measurement device. Can handle flow rates from 12.5 gpm up to 835 gpm with an accuracy of +/- 2-5%. The Parshall Flume is an economical and accurate way of measuring water flow in open channels and non-full pipes. Fiberglass. Was to be used for waste water treatment flow but never put into service. On pallet - ready to ship	NEW
		Indiana

Material Handling 2 Items

Compressor Oil Gas & Process Asset ID: B2096 Atlas Copco	Gas & Process Fluid VG 32 compressor oil, Atlas Copco PN6970390628 fill date March 5, 2021. NEW 55 gallon drum. Only one barrel remaning.	NEW
		Peoria, IL
Compressor Oil Turbo Asset ID: B2095 Atlas Copco	Atlas Copco compressor oil, Turbo Oil Plus, PN6970298402, VG46 55 gallon drums. Fill date was Mar 26, 2021. New. Qty (8) - priced separately	NEW
		Peoria, IL

Packaging/Vertical Form Fill 1 Items

Vertical Form Fill Machine VFFS Asset ID: 1085 Prodo-Pak	Like New Vertical Form Fill & Seal Machine (VFFS) by Prodo-Pak. Tested - never used in production. VFF. <ul style="list-style-type: none"> One Model 4S 3P 320 line 3-lane with Laser etching printer. Fill rate at 150 to 180 pouches/minute. Machine Size 7.5 ft x 7.5 ft x 9 ft tall 5,000 pounds <ul style="list-style-type: none"> Fill volume 1.0 to 3.0 ml. Pouch width 1.5 inches, pouch length 3.0 inches Was set up for filling semi-viscous gel products 1,000 to 5,000 centipoise into four sided seal pouches. Last used for hand sanitizer packets or sachets. Includes the following additional pieces: <ul style="list-style-type: none"> Pump skid 80 inch x 48 inch x 60 inch tall 600 pounds Video Jet laser printer 7 ft x 7 ft x 77 inch tall 700 pounds. Video Jet fumes extractor 4 ft x 4 ft x 5 ft tall 300 pounds. See LINKS for specifications.	Like New
		New Jersey

Plants/Hydrogen 1 Items

Listed in Category Order. Click on an Asset Name for more details.

<p>Hydrogen PSA System 1.3 MMSCFD Asset ID: 7251 Honeywell</p>	<p>PSA System (pressure swing adsorption)</p> <p>New, Never Installed</p> <ul style="list-style-type: none"> Built by Honeywell UOP in 2023 - New, never installed. Rated at 1.3 MMSCFD (million standard cubic feet per day). OUTPUT 1,534 Nm3/Hr. INPUT 2.05 MM SCFD PSA adsorber vessels rated at 235 psig at 34F / 168F. There are 5 PSA Vessels Plant footprint is 50 ft x 17 ft. Allen Bradley 1756 PLC control system. Two years of operation spare parts available. Unused Adsorbent available. <p>Hydrogen PSA system uses Honeywell UOP Polybed process to generate 99.99% hydrogen from feed gas (2.05 MMSCFD, 209.3psig at 100F, containing 75% of hydrogen) through 5-bed pressure swing absorption vessels. Hydrogen recovery rate from feed gas is 84.5%.</p> <p>Technical Specs and Drawings on Request</p>	<p>NEW</p> <p>Texas</p>
--	---	-------------------------

Presses/Expeller		1 Items
<p>Press 60 to 95 MTPD Asset ID: 5450 Shann</p>	<p>Shann Full Press Model 9-99RT Serial Numbers 3294-1 and 3294-2. Motor HP 370. Brand New - never used or installed. Capacity at Full Press rated to 60 MTPD on soybean - with extruder ahead of it can do 95 MTPD. All parts are there - complete press. RT design allows the press to be reversed in case of an overload. Quantity (2) sold together as a lot.</p>	<p>NEW</p> <p>Wisconsin</p>

Process/CIP / COP		1 Items
<p>COP Tanks & Systems Asset ID: 1975 China</p>	<p>Clean Out of Place (C.O.P.) tanks - .All stainless steel 304. These are all new tanks. The quote offered is for ONE tank in this configuration shown but we offer 4 different sizes and configurations.</p> <p>COP tank length 10 ft x width 24 " x depth 22 ". Overall height 40 ". Internal spray manifolds and external spray manifolds. Solution pump: 5 HP 3,500 rpm 230v 3/60. Includes (4) 6" caster wheels. See tank drawing in Document Link.</p> <ul style="list-style-type: none"> For 6 foot long COP tank subtract \$1,500 from quotation For 8 foot long COP tank subtract \$600 from quotation For 12 foot long COP tank, add \$1,350 to quotation Note: a pipe draining rack can be provided, we can furnish COP tanks with or without recirculating pump <p>The above outlined Clean Out of Place (C.O.P.) Tanks may be available for shipment, from the manufacturer's factory (China) in an estimated 60 days from date of receipt of an order. Shipping time from the manufacturer's factory to a California Port of Disembarkation is currently erratic; however, believed to be 21-25 days.</p> <p>Terms of Payment: Fifty Percent (50%) deposit with your order Fifty Percent (50%) balance when ready for shipment</p>	<p>NEW</p> <p>Long Beach, CA</p>

Process/Reactor		2 Items
-----------------	--	---------

Listed in Category Order. Click on an Asset Name for more details.

<p>Fischer-Tropsch Reactors Asset ID: B-1012 Velocys</p>	<p>Velocys Fischer-Tropsch Reactors - NEW, Never Used</p> <p>Capacity Design Rate at 175 bbl/day. New Reactors using Fischer-Tropsch technology.</p> <ul style="list-style-type: none"> • Velocys has a patented catalyst and microchannel reactor system that enables production of SAF and Renewable Diesel from a vast range of sources. • Microchannel reactor provides a compact modular and scalable solution • Catalysts enable high volumetric productivity, 6-10 times that of traditional FT technology • System can achieve high per-pass and overall CO conversion and maximize throughput at same fresh syngas to reduce c.5% OPEX <p>Quantity (4) reactors - priced separately Also available (6) charges of catalyst for these 4 reactors at an additional cost</p>	<p>NEW</p> <p>Houston, TX</p>
<p>Reactor Hydrogenation Asset ID: 1751 DVC Process Technologies</p>	<p>Hydrogenation reactor stainless steel 304. NEW reactor - Volume 20 cu M for a 12.5 MT batch size. (5358 gallons) Has edible oil capacity of 42,000 pounds - designed to run 35,000 pound batches. Cylindrical tank with heating/cooling coils, nozzles for oil, sight glass, hydrogen ports, top mounted agitator. MAWP 90 psig at 500F. OD 2000 mm x height 8000 mm. Shipping dimensions L x W x H are 8000 x 2300 x 2500. Will fit into a 40 ft HC container. NEW reactor so we can design to your needs - lead time 10-12 weeks. FOB India Port Nhava Sheva</p>	<p>NEW</p> <p>India</p>

Process/Vacuum		1 Items
<p>Ultra High Vacuum System Asset ID: V1001</p>	<p>Ultra-high Vacuum (UHV) system</p> <p>Vacuum system is designed to simulate the space environment of a geosynchronous satellite. This includes considerations for vacuum, temperature, radiation, and other factors. Base pressures 1 x 10⁽⁻⁹⁾ to 1 x 10⁽⁻¹⁰⁾ torr. Main pieces listed below - See Details of each in Link.</p> <p>Features</p> <ul style="list-style-type: none"> • Vacuum Chamber: Ultra-high vacuum chamber with all sensors / gauges to simulate the space environment of geosynchronos satellites • Pumping System, Pfeiffer molecular diffusion vacuum pump • Temperature Control • Monitoring and Control System • Safety System, interlocks <p>Capabilities</p> <ul style="list-style-type: none"> • Radiation Simulation • Solar Simulation 	<p>Like New</p> <p>Colorado</p>

Pump/Shear Pump		1 Items
-----------------	--	---------

S4M Asset Catalog



Listed in Category Order. Click on an Asset Name for more details.

<p><u>High Shear Mixer ss</u> Asset ID: V2232 Silverson</p>	<p>** Silverson inline high shear mixer - Like NEW ** Silverson model 275LS B1759 stainless steel, Inline mixer/emulsifier. Sanitary connections. Driven by 2HP motor and INCLUDES the VFD. . This high shear pump is Like New - used for about 20 hours. Shipping dimensions 40 x48 x 36" tall,weight 200 lbs</p>	<p>Like New Texas</p>
<p>Pump/Sump 1 Items</p>		
<p><u>Sump Pump</u> Asset ID: 1945 Pumpworks</p>	<p>Vertical sump pump by Pumpworks model 820. New - stored in warehouse as spare. Size 1.5 x 1 -8 with 8" impeller. Material carbon steel, heavy duty configuration. Rated capacity 25 gpm at 58 ft TDH. Pump serial number 18-23305-8-1. Motor is Baldor 2 HP 1755 rpm 230/460v 3/60 TEFC Frame 145TC</p>	<p>NEW Indiana</p>
<p>Tanks & Pressure Vessels/Stainless 2 Items</p>		
<p><u>Vertical ss Tank 400 gallon</u> Asset ID: V2235 Owin International</p>	<p>Vertical stainless steel tank, LIKE NEW - used a few times on water. insulated, on legs. Approx size 4 ft dia x 67 inches tall with slight slope bottom. On 8" legs. Approx 400 gallon capacity. Atmospheric tank. Insulation 1 3/4" thick. Has one Trivolt electric heater band at middle, rated at 1000 watts and 120 volts. (Has two 500 watt elements - see drawing)</p>	<p>Like New Texas</p>
<p><u>Vertical Tanks ss NEW 550 gallons</u> Asset ID: V2257 Owin International</p>	<p>Vertical stainless steel tanks on legs, NEW. insulated with (2) electric heater bands. Approx size 48" dia x 92 inches tall s/s on 15" legs. Bottom slight cone. Capacity approx 550 gallons. Atmospheric tank. Insulation 1 3/4" thick. Has 2 bands on tank Trivolt electric heater band each band rated at 1000 watts and 120 volts. See drawings. Quantity (4) tanks - priced separately</p>	<p>Like New Texas</p>